




Institute of Earth Sciences of the Georgia Ilia State University, Tbilisi, Georgia

12-19 October 2013

INTERNATIONAL GEOSCIENCE PROGRAMME



Proceedings of the First Plenary Conference

IGCP 610 “From the Caspian to Mediterranean:
Environmental Change and Human Response during the
Quaternary” (2013 - 2017)

<http://www.avalon-institute.org/IGCP>



IGCP 610 First Plenary Conference and Field Trip, Tbilisi, Georgia 12-19 October 2013

PROCEEDINGS

Organizers

Institute if Earth Sciences,
Ilia State University, Georgia
Avalon Institute of Applied Science,
Canada

Sponsors

IGCP
Ilia State University, Georgia
Avalon Institute of Applied Science,
Canada

Editorial Board

Editor-in-Chief Allan GILBERT, Fordham University, U.S.A.

Associated Editor Valentina YANKO-HOMBACH, Odessa I.I. Mechnikov National University, Ukraine; Avalon Institute of Applied Science, Canada



Ilia State University

Tbilisi, Georgia

12-19 October 2013

PROCEEDINGS

IGCP 610 First Plenary Conference and Field Trip

**“From the Caspian to Mediterranean:
Environmental Change and Human Response
during the Quaternary”
(2013 - 2017)**

<http://www.avalon-institute.org/IGCP>

Tbilisi ◆ LTD “Sachino” ◆ 2013

ISBN 978-9941-0-5991-9

Printed in Georgia, LTD “Sachino”, Tbilisi

©IGCP 610- all rights reserved

TABLE OF CONTENTS


Table of Contents.....	III
Organizing and Executive Committee.....	VIII
Scientific Committee	VIII
International Advisory Committee.....	IX
Editorial Board of the Proceedings	IX
Editorial Board of the Field Trip GuideIX
Editorial Board of the <i>Quaternary International</i> special VolumeIX
Aims and Scope	X
Welcome.....	XI
Venue.....	XII
Acknowledgments.....	XIII
PROCEEDINGS.....	1
On the possibility of forecasting Elbrus eruptions: the structure of snow - the parameter of tectonic activity	1
<i>Alekseev, V.A., Alekseeva, N.G., Daniyalov M.G., Bobkov A.V., and Kerimov A.M.</i>	
The impact of Danube floods on the sedimentogenesis of the Black Sea littoral zone..	5
<i>Ankindinova, O.</i>	
On the age of the Khvalynian transgression in the Caspian Sea according to 14C and 230Th/234U methods	10
<i>Arslanov, Kh.A., Svitoch, A.A., Yanina, T.A., Chepalyga, A.L., Maksimov, F.E., Chernov, S.B., Tertychnyi, N.I., and Starikova, A.A.</i>	
Ogurchinsky Island off the coast of Turkmenia is one proof of the Amu-Darya River's confluence into the Caspian Sea in the Middle Ages	14
<i>Badyukova, E.N.</i>	
Geomorphology and paleogeography of the Iranian coast of the Caspian Sea in the Late Quaternary.....	17
<i>Badyukova, E.N., Svitoch, A.A., and Sheikhi, B.</i>	
Pleistocene climastratigraphy and environments of the Terek-Kuma Lowland (NW Caspian Sea Region), based on palynological, paleomagnetic, and rodent fauna analyses of the Otkaznoye key section.....	21
<i>Bolikhovskaya, N.S., Faustov, S.S., and Markova, A.K.</i>	
Dynamics of the Black Sea belt benthic biocoenosis and its connection with the Earth's planetary and solar cycles	25
<i>Bondarev, I.P.</i>	25
The submerged Chalcolithic landscape of Taraschina: implications for human settlement within the Danube delta	30
<i>Carozza, J.-M., Carozza, L., Radu, V., Levêque, F., Micu, C., Burens, A., Messager, E., Opreanu, G., Haita, C., and Danu, M.</i>	

New data on Oldowan migration to Europe via the northern Black Sea Corridor in the light of the latest discoveries in the northern Caucasus and Dniester Valley	32
<i>Chepalyga, A.L.</i>	
Of this complex stratigraphy and paleogeography of the final Pleistocene and Paleolithic of the Dniester and Budzhak valleys.....	37
<i>Chepalyga, A., Gerasimenko, N., Gladrevska, M., and Kiosak, D.</i>	
Coquinite on the western Black Sea coast of Turkey (Şile, İstanbul): possible evidence for higher sea level during MIS 3	40
<i>Erginal, A.E., Kiyak, N.G., Ekinci, Y.L., Demirci, A., Kirci-Elmas, E., Ertek, T.A., and Ozturk, T.</i>	
New evidence for a possible Late Holocene tsunami in SW Marmara Sea, Southern Marmara Archipelago, NW Turkey	42
<i>Ertek, T.A. Erginal, A. E., Kilic, E. Kirci-Elmas, E., Ekinci, Y. L., Demirci, A.</i>	
A method for separating the eustatic and tectonic components of local sea-level curves.....	44
<i>Esin, N.I., and Esin, N.V.</i>	
Mathematical modeling of the Black Sea coast and shelf evolution during the Quaternary period	46
<i>Esin, N.V., Esin, N.I., and Sorokina, O.V.</i>	
A simple approach to projecting climate change extremes: a case study of the Black Sea and the Sea of Azov	48
<i>Evstigneев, V., and Lemeshko, N.</i>	
The Aegean route: An alternative route for the Neanderthals and Anatomically Modern Humans (AMHs) travelling from Asia to Europe and vice versa.	51
<i>Ferentinos, G., Gkioni, M., Geraga, M., and Papatheodorou, G.</i>	
Recent deformation processes and ecological consequences on long-term developed petroleum fields.....	54
<i>Feyzullayev, A.A.</i>	
East Mediterranean environmental change and human dispersal from cave deposits	57
<i>Frumkin, A., Bar-Matthews, M., Lisker, S., and Vaks, A.</i>	
Observations on Late Pleistocene flooding of the Eurasian continental interior and possible alluvial origin of loess	59
<i>Gallagher, R.</i>	
Paleoecology of the Scythian population in the foothills of the Crimean Mountains based on pollen study of the Ak-Kaya settlement	63
<i>Gerasimenko, N., Yurchenko, T., and Zaytsev, Yu.</i>	
Is there a correlation between archaeological and climatic changes in the Middle to Upper Paleolithic transition? An example from the Hellenic Peninsula	66
<i>Gkioni, M., and Ferentinos, G.</i>	

Late Pleistocene and Holocene sediments of the Lazarevsky Cape (Caucasian coast, Black Sea)	68
<i>Izmailov, Ya.A.</i>	
The relationship between the history of the origin of Paliastomi Lake and the fluctuation regime of the mean Black Sea level	70
<i>Janelidze, Z. , and Chikhradze, N.</i>	
The evolution of the Taman Peninsula: sea-level changes, geoarchaeology, and paleogeography.....	72
<i>Kelterbaum, D., Brückner, H., Dan, A., Schlotzhauer, U., and Zhuravlev, D.</i>	
Holocene mollusks of the Iranian Caspian coast and their stratigraphic importance ..	74
<i>Khomchenko, D.S., and Svitoch, A.A.</i>	
Caspian rapid sea-level impact on the temporal and spatial variation in gastropods ..	77
<i>Khoshravan, H., and Khoshravan, A.</i>	
Modified coastal shoreline during the Holocene along the northern Marmara, Turkey: Two examples of submerged settlement of Byzantine times	80
<i>Koral, H., İşbil, D., Aydingün, Ş., and Tur, H.</i>	
On the question of the two technocomplexes of the Lower Paleolithic in the Tisza-Danube basin.....	82
<i>Kulakovska, L.</i>	
Searching for the Golden Fleece – a geoarchaeological project in the Rioni deltaplain	85
<i>Laermanns, H., Kelterbaum, D., and Brückner, H.</i>	
Forcing factors on Caspian Sea level changes in the Late Pleistocene and Early Holocene: contribution from palynology	86
<i>Leroy, S., Kakroodi, A., Chalié, F., Tudryn, A., Kroonenberg, S., Lahijani, H., Arpe, K.</i>	
Chocolate clays of the Northern Caspian Sea region: distribution, structure, and origin	88
<i>Makshaev, R.R., and Svitoch, A.A.</i>	
Pollen-derived biomes in the Caspian-Black Sea-Mediterranean corridor in relation to climate and vegetation.....	90
<i>Marinova, E., Bragg, F., Connor, S., de Laet V., Mudie, P., Leroy, S.A.G., Harrison, S.P., and EMBSecBIO members (see References)</i>	
Climatic characteristics of the extremes in surface temperature within the Caspian - Black Sea - Mediterranean Corridor	93
<i>Matygin, A.S., and Erofeev, G.A.</i>	
On the distribution of recent hard-shelled foraminifera in the Black Sea	96
<i>Mikhalevich, V.</i>	
Extreme marine events in the NW part of the Black Sea, revealed by sedimentological, paleontological, and radiocarbon data	99
<i>Oaie, G., Opreanu, P., and Seghedi, A.</i>	

Field investigation of the mythical "Gold Sands" of the Colchis kingdom (ancient Georgia) and the purpose of the Argonauts' Expedition	102
<i>Okrostsvaridze, A., Javakhishvili, Z., Bluashvili, D., and Gagnidze, N.</i>	
Vardzia Cave Town (Georgia) and the environmental problems caused by Fibrous Zeolites.....	104
<i>Okrostsvaridze, A., Kilasonia, E., and Gagnidze, N.</i>	
Quaternary geology, volcanism, seismicity, and mineral resources of Georgia, the Caucasus	106
<i>Okrostsvaridze, A., Magalashvili, A., Janelidze, Z., and Elashvili, M.</i>	
Diagenetic characteristics and OSL chronology of North Cyprus beachrocks: Implications for late Holocene sea-level changes	108
<i>Öztürk, M.Z., Erginal, A.E., and Kiyak, N.G.</i>	
Evolution of the Danube Delta coastline in the Holocene.....	110
<i>Panin, N., Stănică, A., and Oaie, G.</i>	
Apsheronian (Eopleistocene) sediments of western Ciscaucasia	114
<i>Pinchuk, T.N.</i>	
White color beads of the Bronze Age from Trialeti barrows.....	116
<i>Poporadze, N., Sesuria, O., Narimanishvili, G., and Kvachadze, M.</i>	
Holocene paleoenvironmental investigation of the Larim lagoon of the southern Caspian Sea.....	118
<i>Rahimi, E., and Lak, R.</i>	
Paleoglaciations in northeastern Anatolia and their paleoenvironmental implications	120
<i>Reber, R., Tikhomirov, D., Akçar, N., Yeşilyurt, S., Yavuz, V., Kubik, P., and Schlüchter, C.</i>	
Foraminifera under conditions of hypoxia/anoxia at the Istanbul Strait's (Bosphorus) outlet area to the Black Sea	122
<i>Sergeeva, N.G., and Mazlumyan, S.A.</i>	
Modern structure of meiobenthos of the northwestern shelf of the Black Sea	126
<i>Sergeeva, N.G., Kharkevych, Kh.O., and Revkova, T.N.</i>	
The Lower Dniester – Lower Dnieper region during the Boreal Period of the Holocene: human adaptation to environmental changes.....	130
<i>Smyntyna, O.V.</i>	
Human response to climate changes in the northwestern Pontic region at the Pleistocene-Holocene boundary: an application of environmental stress theory.....	133
<i>Smyntyna, O., and Goncharenko, A.</i>	
The Kerch-Taman volcanic province: microbiota from "the atmosphere—volcanic mud discharge" contact zone.....	137
<i>Smyrnova, L.L., Popov, M.V., Alekseev, V.A., and Bobko, N.A.</i>	

Changing biogeographic identity: Mediterranean vs Pontocaspian mollusk turnover in the record of Gemlik Bay marks the post-glacial marine inundation of a secluded embayment of the Marmara Sea	139
<i>Taviani, M., Wesselingh, F., Angeletti, L., Çağatay, N., Gasperini, L., and Polonia, A.</i>	
The influence of glacial Lake Agassiz on oceans, climate, and humans around the world.....	141
<i>Teller, J. T.</i>	
Paleolithic of Georgia	144
<i>Tushabramishvili, N.</i>	
The impact of seismic and volcanic processes on humans in the Paleolithic	146
<i>Tushabramishvili, N., and Elashvili, M</i>	
Bottom sediment thickness as an indicator of sedimentation rate and deposition environment on the northwestern shelf of the Black Sea	147
<i>Tyuleneva, N.V., Suchkov, I.A., and Fedoronchuk, N.A.</i>	
On the question of the Levallois convergent point method: Near East or Ukraine? Migration or convergence?	152
<i>Usik, V. I.</i>	
Paleogeography of the Caspian late Pleistocene: New data	156
<i>Yanina, T.A., Sorokin, V.M., Bezrodnykh, Yu.P., and Romanyuk, B.F.</i>	
Foraminifera as indicators of environmental stress: New evidence from the Romanian shelf	159
<i>Yanko-Hombach, V., Kondaryuk, T., and Likhodedova, O.G.</i>	
New evidence from the northwestern shelf for Holocene marine transgression of northwestern Black Sea.....	167
<i>Yanko-Hombach, V., Mudie, P.J. , Kadurin, S., and Larchenkov, E.</i>	
Neopleistocene stratigraphy of the Ponto-Caspian Corridors	170
<i>Yanko-Hombach, V., Yanina, T.A., and Motnenko, I.</i>	
Neolithic and Bronze Age cultures in the western Caucasus and changes in Black Sea level	177
<i>Zaitseva, G.I., Trifonov, V.A., and Dergachev, V.A.</i>	
AUTHORS INDEX	



UNESCO - IUGS - IGCP

**IGCP 610 “From the Caspian to Mediterranean: Environmental
Change and Human Response during the Quaternary”
(2013 - 2017)**

12-19 October 2013

<http://www.avalon-institute.org/IGCP>